

U.I. Lapp GmbH	PRODUCT INFORMATION	 LAPP GROUP
	FLEXIMARK® Flexiprint LF	07.11.2014

FLEXIMARK® Flexiprint TF are markers for single core marking and marking of glass fibre cables, easy and quick to install.



Good chemical resistance




Halogen-free



Assembly time



UV-resistant



Info

LF 1 contained in FLEXIMARK® sample bag (article number M3251010)

Application range

For Single core marking

Marking of optical fibre cables

Marking before assembly

Printing with commercial laser printers

Printing with FLEXIMARK® Software (Download: <http://www.lappkabel.com/service/downloadcenter/markingsystem/markings-software.html>)

Benefits

Easy to install

Resistant to acids, alkali, distilled water, salt water and transformer oil according to SP 2171 Methode

Resistant to UV radiation, corresponding to 1 year outdoor in the south of Sweden

Diverse criteria as ageing resistance and chemical resistance are tested by the independent SP Technical Research Institute of Sweden according to SP 2171 Test Method (see selection table A15)

Note

Insert sheet in manual paper feed compartment

The use of the cartridges of the printer supplier is recommended

For cable cross-sections over 16.00 mm², cable ties can be used for installing single markers

Normal version: Up to 7 characters

L Version (e.g. LF1L/TF1L): Up to 15 characters

Included

1 PU contains 75 label sheets

One label sheet consists of 20-60 perforated markers, depending on the size

Remark

Photographs are not to scale and do not represent detailed images of the respective products. Contents: roll, metre, unit, marker, label

Product Management	Document: LAPP_PRO1449EN.pdf	1 / 4
--------------------	------------------------------	-------

U.I. Lapp GmbH	PRODUCT INFORMATION	 LAPP GROUP
	FLEXIMARK® Flexiprint LF	07.11.2014



Technical Data

Note:	Dimensions of the label sheet: 80-100 x 210 mm
Colour delivered:	yellow Upon request: White, green, blue, red
Material:	Halogen-free polyester
Temperature range:	-40°C to +125°C

Product Management	Document: LAPP_PRO1449EN.pdf	2 / 4
--------------------	------------------------------	-------

Part number	Article designation	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	For mm²	Number of markers per PU	PU
Flexiprint for laser printers									
83280005	FLEXIMARK® Flexiprint LF0 YE	22.9	5.2	3.9	13.1	2.4	0,25 - 0,75	4500	1
83254420	FLEXIMARK® Flexiprint LF1 YE	23.0	5.2	4.9	11.2	3.5	0,75 - 1,5	4500	1
83254460	FLEXIMARK® Flexiprint LF1B YE	25.0	5.7	5.9	11.2	4.2	1,5 - 2,5	4500	1
83254440	FLEXIMARK® Flexiprint LF1L YE	34.0	5.2	5.0	22.0	3.5	0,75 - 1,5	2250	1
83254480	FLEXIMARK® Flexiprint LF1BL YE	36.0	5.7	6.0	22.0	4.2	1,5 - 2,5	2250	1
83254500	FLEXIMARK® Flexiprint LF2 YE	26.0	7.0	6.5	11.0	5.5	2,5 - 6	4500	1
83254520	FLEXIMARK® Flexiprint LF3 YE	41.0	11.0	10.5	17.0	8.4	6 - 16	1500	1

U.I. Lapp GmbH	PRODUCT INFORMATION	 LAPP GROUP
	FLEXIMARK® Flexiprint LF	07.11.2014



Product Management	Document: LAPP_PRO1449EN.pdf	4 / 4
--------------------	------------------------------	-------