

U.I. Lapp GmbH	PRODUCT INFORMATION	
	FLEXIMARK®Wrapping labels LCK	07.11.2014

FLEXIMARK® LCK wrapping labels are markers of vinyl with an protective transparent foil for marking cables with a laser printer. The protection foil protects the text from abrasion and solvents.



Good chemical resistance



Halogen-free



UV-resistant



Waterproof

Info

LCK 32 YE contained in FLEXIMARK® sample bag (article number M3251010)

Application range

For Cable Marking

Printing with commercial laser printers

Printing with FLEXIMARK® Software (Download: <http://www.lappkabel.com/service/downloadcenter/markingsystem/markings-software.html>)

Benefits

Diverse criteria as ageing resistance and chemical resistance are tested by the independent SP Technical Research Institute of Sweden according to SP 2171 Test Method (see selection table A15)

A transparent foil is wrapped around the cable and pasted over the printed field, that the printing is protected against abrasion and pollution

Resistant to chemicals, UV-radiation, moisture and some oils

Note

Insert sheet in manual paper feed compartment

The use of the cartridges of the printer supplier is recommended

Optimum printing results from laser printers are achieved with straight sheet feed-in with no deflection over rollers and little heat build-up

Included

Perforated DIN A4 sheets

Remark

Photographs are not to scale and do not represent detailed images of the respective products. Contents: roll, metre, unit, marker, label

Product Management	Document: LAPP_PRO1453EN.pdf	1 / 4
--------------------	------------------------------	-------

U.I. Lapp GmbH	PRODUCT INFORMATION	 LAPP GROUP
	FLEXIMARK®Wrapping labels LCK	07.11.2014


Technical Data

Info:	Halogen-free
Colour delivered:	White or yellow
Material:	Halogen-free polyester Thickness: 0.025 mm
Temperature range:	-40 °C to +125 °C Minimum working temperature: +10 °C

Product Management	Document: LAPP_PRO1453EN.pdf	2 / 4
--------------------	------------------------------	-------

Part number	Article designation	Colour	Width x length (mm)	Labelling surface (mm)	For outer Ø (mm)	Number of markers per PU	Labels per side	PU
LCK labels for laser printers								
83256143	FLEXIMARK® Label LCK 32 WH	white	25 x 33,5	25 x 12,7	4 - 7	640	64	1
83256142	FLEXIMARK® Label LCK 32 YE	yellow	25 x 33,5	25 x 12,7	4 - 7	640	64	1
83256145	FLEXIMARK® Label LCK 35 WH	white	25 x 55	25 x 19	6 - 12	400	40	1
83256144	FLEXIMARK® Label LCK 35 YE	yellow	25 x 55	25 x 19	6 - 12	400	40	1
83256147	FLEXIMARK® Label LCK 40 WH	white	25 x 94	25 x 25,4	8 - 21	240	24	1
83256146	FLEXIMARK® Label LCK 40 YE	yellow	25 x 94	25 x 25,4	8 - 21	240	24	1
83256149	FLEXIMARK® Label LCK 45 WH	white	25 x 142,5	25 x 25,4	8 - 36	160	16	1
83256148	FLEXIMARK® Label LCK 45 YE	yellow	25,5 x 142,5	25,5 x 25,4	8 - 36	160	16	1
83256160	FLEXIMARK® Label LCK 48 WH	white	34 x 93	34 x 25,4	8 - 21	180	18	1
83256161	FLEXIMARK® Label LCK 48 YE	yellow	34 x 93	34 x 25,4	8 - 21	180	18	1
83256151	FLEXIMARK® Label LCK 60 WH	white	50 x 56	50 x 19	6 - 12	200	20	1
83256150	FLEXIMARK® Label LCK 60 YE	yellow	50 x 56	50 x 19	6 - 12	200	20	1
83256153	FLEXIMARK® Label LCK 65 WH	white	50 x 94	50 x 25,4	8 - 21	120	12	1
83256152	FLEXIMARK® Label LCK 65 YE	yellow	50 x 94	50 x 25,4	8 - 21	120	12	1
83256155	FLEXIMARK® Label LCK 70 WH	white	50 x 142,5	50 x 25,4	8 - 36	80	8	1
83256154	FLEXIMARK® Label LCK 70 YE	yellow	50 x 142,5	50 x 25,4	8 - 36	80	8	1

U.I. Lapp GmbH	PRODUCT INFORMATION	 LAPP GROUP
	FLEXIMARK®Wrapping labels LCK	07.11.2014



Product Management	Document: LAPP_PRO1453EN.pdf	4 / 4
--------------------	------------------------------	-------