

ENSTO

CIL106

Автоматический соединительный комплект

Тип	CIL106
GTIN	6438100320621
Название	Автоматический соединительный комплект жила $\varnothing 5,8-8,6$ мм, оболочка $\varnothing 11,0-15,0$ мм, 24 кВ
Описание	Применяется для соединения провода СИП-3 в пролете. Концы соединяемых жил должны быть зачищены. Комплект состоит из: автоматического соединительного зажима, двух трубок холодной усадки, мастики, силиконовой смазки и ПВХ-ленты. Монтируется без применения дополнительных инструментов.

**Техническая спецификация****Dimensions**

Масса:	0.26 kg
Диаметр по внешней изоляции:	11.0 ... 15.0 mm
Диаметр проводника:	5.8 ... 8.6 mm

Features

Для проводника сечением:	MV CC 35-50
--------------------------	-------------

Certificates

Стандарты:	EN 50397-2
------------	------------

Ratings

ETIM 7:	EC001169 Straight-through joint
---------	---------------------------------

Specification

Construction:

Construction:

Component	Material
Body	CIL tension splice with insulating outer tube
Cold shrink tube	Silicon insulation tube
Accessory kit	Sealing mastic
	PVC-tape
	Oil based silicon lubricant

Markings:

ENSTO, CIL106

ETIM**ETIM**

Number of conductors:	1
Halogen free:	true
Nominal cross section conductor:	35 ... 50 mm ²
Model:	Cold-shrink
Material insulating material:	Plastic
Rated voltage U0/U (Um):	12/20 (24) kV

Упаковка**В стандартной упаковке**

Unit:	PCS
Количество:	12

