

ENSTO

KE33

клеммных блоков

Тип KE33

GTIN 6418677161704

Название клеммных блоков Ensto Clampo Compact
Серый, Cu 1.5-35 мм², 750 V

Описание клеммных блоков "Ensto Clampo Compact" идеально подходят для применения в ограниченном пространстве. Благодаря своей компактной конструкции клеммных блоков могут легко устанавливаться как непосредственно на основание, так и на рейки DIN 15 или DIN 35.

Вендор Ensto Finland Oy



Техническая спецификация

Dimensions

Масса: 0.04 kg

Поперечное сечение проводника: 35

Объем: 3.08 cm³

Temperatures

Температура эксплуатации: ≤ 80 °C

Электрические характеристики

Номинальное напряжение изоляции: 750 V

Номинальный ток: 135 A

Materials

Корпус: Полиамид

Colors

Цвет: Серый

Features

Головка винта:	Головка со шлицем
Крепеж:	DIN-рейка

Механические характеристики

Момент затяжки:	3.5 Nm
------------------------	--------

Certificates

Стандарты:	EN 60947-7-1, EN 60998-1, UL 1059
Категория UL:	XCFR2
Номер UL:	E192532, E192532

Ratings

ETIM 7:	EC000897
----------------	----------

US specific

Размер проводника:	2-16
Максимальное напряжение:	600 V
Момент затяжки:	40.5 Lb-In
Max. current:	115 A

ETIM

ETIM

Length:	50 mm
Material insulation body:	Thermoplastic
Rated voltage:	750 V
Width/grid dimension:	14 mm
Mounting method:	DIN rail (top hat rail) 35 mm
Colour:	Grey
Type of electrical connection 1:	Screw connection
Number of levels:	1
Height at lowest possible mounting height:	44 mm
Operation temperature:	-5 ... 80 °C
Connectable conductor cross section fine-strand with cable end sleeve:	1.5 ... 25 mm ²
Number of clamp positions per level:	2
Connectable conductor cross section fine-strand without cable end sleeve:	1.5 ... 25 mm ²
Explosion-tested version 'Ex e':	false
Connectable conductor cross section multi-wired:	1.5 ... 35 mm ²
Inflammability class of insulation material acc. with UL94:	V2
Rated current In:	135 A
Type of electrical connection 2:	Screw connection
Connection position:	Sideways

Упаковка

В стандартной упаковке

Unit:	PCS
Size:	100
Length:	220 mm
Width:	220 mm
Height:	175 mm
Weight (brt):	4.3814 kg
Volume:	8.47

На палете

Unit:	PCS
Size:	7500
Length:	1200 mm
Width:	800 mm
Height:	1025 mm
Weight (brt):	353.6 kg
Volume:	984